

# SAFETY DATA SHEET

## SECTION 1: IDENTIFICATION

**Product name:** HD Laundry Detergent Scented (#1101)

**Recommended use:** Laundry compound

**Manufacturer:** EnviroWay Detergent Manufacturing Incorporated  
2241 Hanselman Ave.  
Saskatoon, SK S7L 6A7, Canada  
Tel: 306-244-7727  
Fax: 306-244-7772  
Toll free: 1-888-274-0862, [www.envioway.ca](http://www.envioway.ca)

**Emergency phone:**

**Leak and Spill:** 1-800-667-7525 (SASK SPILLS) for the Province of Saskatchewan  
1-866-845-6037 (Environment Canada) for anywhere else

**In Transit:** 1-613-996-6666 or \*666 on cellular phone (CANUTEC)

**Poison Control:** 1-866-454-1212 (Saskatchewan)

## SECTION 2: HAZARD IDENTIFICATION

### CONCENTRATE HAZARDS:

#### Hazard classification

Acute toxicity (oral)	Category 5
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Corrosive to metals	Category 1

**Signal word**    Danger



#### Hazard statements

May be harmful if swallowed.  
Causes severe skin burns and eye damage.  
May be corrosive to metals.

#### Precautionary statements

**Prevention**    Keep only in original packaging.  
Wash hands thoroughly after handling.  
Wear protective gloves, protective clothing, eye protection, and face protection.  
Do not breathe mist, vapours or spray.

**Response**      Absorb spillage to prevent material-damage.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 IF ON SKIN (or hair): Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 Immediately call a POISON CENTRE or doctor/physician.

**Storage** Store locked up.  
**Disposal** Dispose of in accordance with local regulations at government approved waste sites.

### SECTION 3: COMPOSITION

The following ingredients have hazardous properties:

Ingredient	CAS #	% by weight
Sodium carbonate	497-19-8	40-50
Alcohols, C12-16, ethoxylate	68551-12-2	5-10
Disodium metasilicate	6834-92-0	5-10
Sodium percarbonate	15630-89-4	5-10
Benzenesulfonic acid	68081-81-2	1-5

Ingredients not shown are either not hazardous or present below cut-off values. Ranges shown are due to batch-to-batch variation.

### SECTION 4: FIRST AID MEASURES

**IF SWALLOWED:** Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTRE/doctor.  
**IF ON SKIN (or hair):** Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Immediately call a POISON CENTER or doctor/physician.  
**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Immediately call a POISON CENTRE/doctor.  
**IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTRE or doctor/physician.

### SECTION 5: FIRE FIGHTING MEASURES

**Flammable:** No  
**Means of Extinction:** Use water spray, dry chemical, carbon dioxide or foam. Do not use a direct water stream. Alcohol resistant foams should be preferred for large scale fires, if available.  
**Special Fire Fighting Procedures:** Use water spray to keep containers cool. Fire fighters should wear self-contained breathing apparatus and full protective clothing.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

**Leak and Spill Procedures:** Clean up with broom or vacuum. Try to avoid formation of dust. Use a water rinse for final cleanup.

### SECTION 7: HANDLING AND STORAGE

**Handling Procedures and Equipment:** Wear protective gloves, protective clothing, eye protection, and face protection. Wash thoroughly after handling.

**Storage Requirements:** Store in a dry, well-ventilated area. Store away from direct sunlight and heat. Store in original container away from incompatible materials. Store locked up.

## SECTION 8: PERSONAL PROTECTION

Ingredient	Exposure limit – ACGIH	Exposure limit – OSHA	Exposure limit – IDLH
Sodium carbonate	Not available	Not available	Not available
Alcohols, C12-16, ethoxylate	Not available	Not available	Not available
Disodium metasilicate	Not available	Not available	Not available
Sodium Percarbonate	Not available	Not available	Not available
Benzenesulfonic acid	Not available	Not available	Not available

**Gloves:** Wear protective gloves.

**Eye:** Use chemical safety glasses. Contact lenses should not be worn.

**Clothing:** Wear protective clothing.

**Other:** An eyewash station and shower should be kept available nearby.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** White powder

**Odour:** Mild chemical scent

**Odour Threshold (ppm):** Information not available

**pH:** 12.5 (10% aqueous solution)

**Freezing Point:** Information not available

**Initial Boiling Point/Range:** Information not available

**Flash point:** Information not available

**Evaporation Rate:** Information not available

**Flammability:** Not flammable

**Upper/lower flammability/explosive limit:** Information not available

**Vapour Pressure (mmHg):** Information not available

**Vapour Density (air = 1):** Information not available

**Relative density:** Information not available

**Solubility in Water:** Soluble

**Partition coefficient:** Information not available

**Auto-ignition temperature:** Information not available

**Decomposition temperature:** Information not available

**Viscosity:** Information not available

## SECTION 10: STABILITY AND REACTIVITY

**Chemical Stability:** Stable

**Hazardous Polymerization:** Will not occur.

**Materials to Avoid:** Acidic material and strong oxidizers.

**Hazardous Decomposition Products:** May liberate carbon oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

Ingredient	LD50 oral (mg/kg) (rat)	LD50 dermal (mg/kg)	LC50 inhalation (mg/L)
Sodium carbonate	2800	>2000	1.2
Alcohols, C12-16, ethoxylate	>1700	Not available	Not available
Disodium metasilicate	1280	Not available	Not available
Sodium Percarbonate	2000	>2000	Not available
Benzenesulfonic acid	1080	>2000	Not available

### EFFECTS OF ACUTE EXPOSURE:

**Ingestion:** May cause nausea, vomiting, and gastrointestinal irritation and diarrhoea. May be harmful if swallowed.

**Skin Contact:** Causes severe eye damage.

**Eye Contact:** Causes severe skin burns.

**Germ cell mutagenicity:** Not applicable

**Carcinogenicity:** Not applicable

**Reproductive toxicity:** Not applicable

**STOT single exposure:** Not applicable

**STOT repeated exposure:** Not applicable

**Aspiration hazard:** Not applicable

**Routes of exposure:** Ingestion, inhalation, skin/eye exposure

### EFFECTS OF CHRONIC EXPOSURE:

**Skin Contact:** Not known.

**Eye Contact:** Not known.

**Ingestion:** Not known

### Numerical measures of toxicity:

**Oral:** LD50 2,611mg/kg

**Dermal:** LD50 197,472mg/kg

**Inhalation:** LC50 565mg/L

## SECTION 12: ECOLOGICAL INFORMATION

### Ecotoxicity:

Ingredient	Fish	Crustaceans	Algae
Sodium carbonate	LC <sub>50</sub> (96h): 300mg/L (Bluegill sunfish)	EC <sub>50</sub> (48h):200- 227mg/L (Ceriodaphnia)	Not available
Alcohols, C12-16, ethoxylate	LC <sub>50</sub> (96h): 2.6- 2.9mg/L	EC <sub>50</sub> (48hr): 1.2- 2.7mg/L (Daphnia magna)	EC <sub>50</sub> : 0.64-1.3mg/L

Disodium metasilicate	LC <sub>50</sub> (96h): 210mg/L (Danio rerio)	EC <sub>50</sub> (48h): 1700mg/L (Daphnia magna)	EC <sub>50</sub> (72h): 207mg/L (Desmodesmus subspicatus)
Sodium Percarbonate	LC <sub>50</sub> (48h): 70.7mg/L (Pimephales promelas)	EC <sub>50</sub> (48h): 4.9mg/L (Daphnia)	Not available
Benzenesulfonic acid	LC <sub>50</sub> (96h): 3 mg/L	EC <sub>50</sub> (48h): 1.62 - 9.3mg/L (Daphnia)	EC <sub>50</sub> (72h): 29mg/L

**Persistence and Degradability:** No information available

**Bioaccumulation/Accumulation:** No information available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:** Dispose of in accordance with local regulations at government approved waste sites.

## SECTION 14: TRANSPORT INFORMATION

**Special Shipping Information:** None

**TDG (Canada):**

**TDG Proper Shipping Name:** Corrosive solid, basic, inorganic, n.o.s. (Sodium metasilicate)

**Hazard Class:** Class 8

**UN Number:** UN3262

**Packing Group:** III

**Note:** No additional remark.

**Marine Pollutant:** None

## SECTION 15: REGULATORY INFORMATION

**Canadian DSL Inventory Status:** All ingredients are specified on the Domestic Substances List or exempt

## SECTION 16: OTHER INFORMATION

### Disclaimer – Notice to Reader

EnviroWay Detergent Manufacturing Incorporated, expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages.

Do not use ingredient information and/or ingredient percentages in this SDS as a product specification.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, EnviroWay makes no representations as to its accuracy or sufficiency. Conditions of use are beyond EnviroWay's control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information

contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.